

ш


Hand Tools

Trojan

03
04
05
06
07
08
09
10
11
12
13
14
15

Guns, Shovels, Wrecking Bar16

Hand Files 17 -19



Steel Ruler Steel Rulers 12" & 24"

Heavy duty stainless steel rulers. Precision made with clear markings. Graduations in metric and imperial. Handy conversion scale on reverse. In display

Code	Size
SP-17335	12 inch / 30cm
SP-17336	24 inch / 60cm

Dual-Marked Steel Tape Measure

Spectre Professional Dual-Marked Steel Tape Measure

Ergonomically designed bevel case. Fits snugly into the palm of your hand. Intelligently manufactured to handle any job with ease. Features metric and imperial blade markings. Width: 25mm

Code	Length	Width
SP-17265	5m / 16ft	25mm
SP-17266	8m / 26ft	25mm



Spirit Level

Spectre Box Section Spirit Level with Magnet

High Quality Aluminium Box Section Spirit Level with 3 Vials (one horizontal, two vertical) for measuring at any

All products have an accuracy of +/- 0.5mm.

Magnetic Base

Both Edges Milled.

Shock resistant.

Code	Size
SP-17267	600mm
SP-17268	1000mm
SP-17269	1200mm

















GENUINE HICKORY Mallet MALLE 16oz Rubber Mallet Rubber head helps minimise marring and surface damage. Tough rubber head molded to a genuine Hickory handle.

Hammer 16mm Cross Pein Hammer 150g

Pein hammer with forged head, round ground face and long cross pein. Comes with genuine Hickory handle.



Hammer

16oz One-piece Claw Hammer

All-steel highly polished one-piece construction hammer. The narrow shaft helps weight distribution and balance. Fitted with a moulded vinyl grip that is bonded to the hammer shaft for cushioning and user



Hammer

16oz Two-colour Fibreglass Claw

SP-17351

This claw hammer has a polished steel head which has been correctly hardened and tempered. Fitted with a fiberglass handle which is lightweight, extremely strong and resistant to moisture. Head type: curved claw.



Utility Knife

Folding Lock Back Utility Knife

Folding lock back utility knife with heavy duty zinc-alloy housing and non-slip rubber grip.



Trimming Knife

Retractable Trimming Knife

Ergonomic design rectractable trimming knfe. Zinc alloy construction with a

die-cast body.

Additional blade storage in



Utilty Knife

Spectre Folding Lock-back Utility Knife

SP-17264

The knife opens easily with one hand, and the locking action secures blade in an open position

Lightweight and robust aluminium body with belt clip.

Featuring quick-release blade change mechanism. Ergonomic design with texturised rubber grips for

Ideal for Trade Professionals and DIY'ers alike. Supplied with 5pcs SK5 blades



Knife Blades

Trimming Knife Blades 10pc

SP-17332

10 Pack replacement blades with 2 notches. Suitable for use with most trimming knives. Complete with plastic dispenser for safe storage



Utility Knife

Snap Off Utility Knife

Ideal for DIY jobs & light industrial use. Quick and efficient cutting without the need for sharpening. Automatic blade change Ribbed easy grip handle for comfort and during use

Blade length 135mm, Cartridge with 3 x 9mm



blades with 6 snap off sections.



Knife Blades


Replacement Blades 18mm 5pc

SP-17326 9mm

SP-17327 18mm

5 pack replacement blades for 18mm snap off utility knife. Each blade has 6 cutting points and compatible with most 18mm trimming knives. Come with protective





GRIPPING TOOLS

Metric Spanner Set

Spectre 9pc. Chrome Vanadium Metric Combination Spanner Set in Plastic Case

SP-17001

Chrome vanadium combination spanner set with hardened and tempered mirror polished heads.
Nickel chrome plated.
DIN 3113

Spanners

Manufactured to DIN 3113

Combination Spanners

CRV Combination Spanner. Hardened and tempered with a mirror polish finish.



Code

SP-17290 6mm

SP-17292 8mm

SP-17299 15mm

SP-17302 18mm

SP-17306 22mm

SP-17307 23mm

SP-17308 24mm

SP-17309 25mm

SP-17313 29mm

SP-17311

SP-17315

SP-17301

SP-17303 19mm **SP-17304** 20mm

SP-17294 SP-17295 SP-17296 SP-17297

Metric Spanner Set

Spectre 18pc. Chrome Vanadium Metric Combination Spanner Set in Wallet

SP-17002

Chrome vanadium combination spanner set with hardened and tempered mirror polished heads.

Nickel chrome plated DIN 3113



Spanner Set

Spectre 6pc Jumbo Combination Spanner Set

SP-17101

Chrome vanadium combination spanner set with hardened and tempered mirror polished heads.

Nickel chrome plated. Supplied in a durable plastic tool roll and arranged in size order. DIN 3113



Metric Spanner Set

Spectre 25pc.
Chrome Vanadium
Metric Combination
Spanner Set
in Wallet

SP-17003

Chrome vanadium combination spanner set with hardened and tempered mirror polished heads.

Nickel chrome plated.

DIN 3113



Pipe WrenchSpectre Pipe Wrench

Heavy duty drop-forged steel with powder coated finish, knurled

thumbwheel adjustment.

Corrosion-resistant

Hardened, ground and polished jaws.

For use on pipework and fittings in awkwar positions.

and fittin positions	gs in awkwa	rd	
Code	Size		
SP-17004	300mm / 12"		
SP-17005	350mm / 14"	4	
SP-17006	450mm / 18"	- 1	~···
SP-17007	600mm / 24"	l l	

Waterpump Plier

Spectre CR-V Steel Drop Forged Box-Joint Waterpump Plier

Chrome vanadium waterpump plier with harderned jaws.

Joint Positions: 7

Chrome vanadium steel pliers with durable, corrosion-resistant coating and ergonomic dipped rubber handles.



Pliers

3pc Plier Set

SP-17338

Inductive hardened cutting edge with comfortable soft grip handles. High quality carbon steel material with micro finish to prevent corrosion. Contains: 6" long nose pliers, 7" combination pliers, 6" diagonal cutting pliers



Pliers

3pc Mini Plier Set

SP-17339

Induction hardened cutting edge with comfortable soft grip handles. High quality carbon steel drop forged with micro finish to prevent corrosion. Contains: mini long nose pliers, mini combination pliers, mini diagonal cutting pliers.



Adjustable Wrench

Spectre Chrome Plated Drop Forged Adjustable Wrench

Coating: Chrome Plated Material: Drop Forged Carbon Steel with Hardened Jaw

Code	Size
SP-17140	150mm / 6"
SP-17141	200mm / 8"
SP-17142	250mm/10"
SP-17143	300mm / 12"
SP-17144	380mm / 15"
SP-17145	450mm / 18"





HEX, SCREWDRIVERS, RATCHETS & BITS

Sash Clamp Spectre Sash Clamp

Suitable for exerting very high pressure. Made from T section bar with cast iron

SP-17009	1200mm / 48 inch	
Code	Size	



Malleable Iron G-Clamp

Spectre Malleable Iron G-Clamp

Fine thread with reinforced shoulders for strength SG cast iron frame.

Suitable for a wide variety of metalworking and woodworking applications.

Black phosphate spindles provide a smooth operation and maximum clamping pressure.

Tommy bar handle.

Swivel shoe

Code	Size
SP-17011	100mm / 4 inch
SP-17012	150mm / 6 inch
SP-17013	200mm / 8 inch



Engineers Bench Vice

Spectre Heavy Duty **Engineers Bench Vice**

For medium to heavy-duty applications.

Manufactured from high quality grey cast iron steel with hardened jaws Features a rust-resistant, powder-

Has immense strength under compression with excellent shock

absorbing capabilities. Machined to close tolerances and are designed for smooth

operation and reliability.

Main spindle is fully enclosed to protect the threads from contamination and damage.

Features a machined anvil and replaceable steel jaw plates.

Can apply a clamping pressure of up to one ton between the laws.

Safety stop prevents the slide from being accidentally separated from



Cold Chisel

Spectre Cold Chisel with Dual Moulded Guard (BS3066)

Solid drop forged EN9 steel, with dual moulded guard to BS3066.

Made to be robust and durable and can withstand many applications.

Code	Size
SP-17250	200 x 25mm
SP-17251	250 x 25mm
SP-17252	300 x 25mm



Brick Bolster

Spectre Brick Bolster with Dual Moulded Guard (BS3066)

Solid drop forged EN9 steel with shock-absorbing

Hardened cutting edges.

Sharpened cutting edges



Hex Key Set

30pc Hex Key Set- CRV

30pcs of chrome vanadium steel hex key set, complete with folding case. 15pcs in both long arm and short arm series. 15pcs in imperial measurements covering sizes 0.028 to 3/8in. 15pcs in metric sizes from 0.7mm up to



Screwdriver Set Screwdriver Bit Set S2

30PC Color Ring Batch Head, S2, Nickel Plated Surface, Color Rings:

Sizes: PH1, PH22, PH3, PZ1, PZ22, PZ3, SL3, SL4, SL5, SL6, H3, H4, H5, H6, T10, T15, T20, T25, T27, T30, T40, T10 (with hole) T15 (with hole) T20 (with hole), T25 (with hole), T27 (with hole), T30 (with hole), T40 (with hole).

1PC 25mm Bead Changer, CR-V, Heat Treated, Nickel Plated Surface

1PC Quick Clamp, CR-V, Heat Chrome Plated Surface



Screwdriver Set

6pc Precision Screwdriver Set

6 piece screwdriver set covering both flat and phillips head tips. Cr-V steel with heat treated blades and magnetic tips. Comes with comfortable handle for use and phillips (PHO PHOO & PHOOO)



Screwdriver Set

6pc Screwdriver Set

6 piece screwdriver set covering both flat and phillips head tips. Cr-V steel with heat treated blades and magnetic tips. Comes with comfortable handle for use. Contains flat

head sizes (5 x 75mm. 6 x 100mm & 8 x 150mm) and phillips (PH1 X 75mm, & PH3 x 150mm)



Drill Bits Set

Spectre 15-Piece 1/4in **Screwdriver Bit Set**

SP-17260

Spectre 15 Piece Screwdriver Bit Set Colour Coded + Holder Pozi PZ2 PH2 Slotted.

Professional quality S2 grade 25mm bits in the key sizes for everyday use.

Colour-coded for easy selection. Supplied with Carry Case Set Includes:

25mm x 1/4" HEX Screwdriver Bits - 2x PZ1, 2x PZ3, 2x PH2, 6x PZ2, 1x PH1, 1x PH3

65mm Quick Release Stainless Magentic Bit Holder



Hex Key Set

8pcs Metric Folding Hex Key Set

SP-17319



Hex key set **8pcs TORX Folding**

SP-17320

High quality CRV torq key set. Sizes: T9-T10-T15-T20-T25-T27-T30-T40



Ratchet Handle Set

12PC 72th Ratchet Handle Set CRV+72T

Chrome vanadium Ratchet sets with a Matt finish. 12pc 1/4" Contains:

1/4" Quick ratchet handle - 72T, 1/4" Dr. Extension Bar 3" 1/4" Metric Sockets

12pc 3/8" Contains: 3/8" Quick ratchet handle - 72T, 3/8" Dr. Extension Bar 6" 3/8" Metric Sockets

12pc 1/2" Contains: 1/2" Quick ratchet handle - 72T, 1/2" Dr. Extension Bar 5" 1/2" Metric Sockets



Magnetic Bit Holder

Spectre Standard Magnetic Bit Holder 60mm Long

Bulk/Loose Product Overall length 60mm Carbon steel



1/4" hex shank magnetic bit holder

SP-17324







Plastic Funnel

Spectre Plastic Funnel

Polyethylene funnel Suitable for use with petrol, oil, water etc.

Grip tab with integral hanging eye. Material: Polyethylene

SP-17021

Rigid straight spout.



Plastic Funnel

Spectre 250mm (10 Inch) Tractor or Garage Funnel with Filter

Polyethylene funnel suitable for use with petrol.

Rigid straight spout

Material: Polyethylene



Oil Jug

Spectre Plastic Oil Jug with Screw Lid and Cap

Opaque Polyethylene body allows visual measurement.

Screw top lid and end dust cap



All-Steel Keyless Chuck

Spectre 13mm (1/2in x 20) All-Steel Keyless Chuck for Drill/Drivers

Professional, heavy-duty chuck with carbide jaws for extra grip.

Suitable for most makes of electric or cordless drills.

Size SP-17043 Heavy Duty SP-17044 Medium Duty



Self-Locking Chuck

Spectre 13mm (1/2 x 20) 1.5mm **Heavy Duty Self-Locking Chuck**

Professional, heavy-duty chuck with carbide jaws for

Suitable for most makes of electric or cordless drills. Capacity: 13mm.

Fitment: 1/2 inch x 20 UNF.



Immersion Heater Box Spanner

Spectre 86mm (3 3/8in AF) **Immersion Heater Box Spanner** System states 122mm

SP-17017

Provides a firm non-slip grip on immersion heater

Deep box design allows easy access to heaters that are surrounded by insulation or are recessed.

Supplied complete with a tommy bar to help provide added leverage when removing over tight elements

Manufactured from heavy gauge steel.



Carpentry Set

Title Spectre 5pc Carpentry Set in Wooden Box

(No.4 Plane, Block Plane, Square, Bevel, Gauge)

This Spectre traditional carpenters tool kit has been specially commissioned to provide the essentials you need for working with wood. The kit contains four traditional woodworking tools in a wooden

Made from hardwood, brass and steel, the tools have been carefully chosen to provide a versatile platform on which to build a fully featured tool kit, or to add to an existing one.

tool box for transport and storage.

All the tools are made to the highest quality from the finest hardwood, brass and steel.

Supplied in a lined wooden case with metal hinges.

A marking gauge is essential for laving out scribe lines during joinery applications, and the included tool is an especially versatile model which can be used as a mortice gauge for marking out mortice and tenon joints.

The try square gives you a 90° reference point and straight edge for ensuring your cuts are as square and accurate as

The sliding bevel enables you to accurately transfer angles and is often used when cutting dovetail joints.

The No.4 smoothing plane is a classic design which has been around for over 100 years, during which time it has become the most popular hand plane for finishing wood.

The block plane is ideally suited for working on end grain and smaller surface areas.

The tool kit includes a wooden storage box to keep everything together. This is a super gift for the professional, enthusiast or apprentice

Set includes:

No.4 Smoothing Plane

230mm Try Square

230mm Sliding Bevel Mortice and Marking Gauge

Hinged wooden case

60.1/2 Block Pla

Manhole Lifting Keys

Spectre Pair of Manhole Lifting Keys

Designed to lift and remove most standard non-locking manhole covers, drain gully covers and access panels.

ı	Zinc plat	ed for rust p	protection.
	key ends	and large t nandles that	
1	Code	Size	



Wire Brush 4 Row Steel Wire Brush

SP-17340

Designed for cleaning all rough surfaces on a variety of materials to remove paint, dirt, rust and stubborn deposits.



M14 Quick-Nut

Spectre Heavy Duty M14 Quick Release Quick-Nut

SP-17137

Replaces standard M14 flanges on grinders, to enable fast tool-less disc changes.

Fits Bosch, Makita, Dewalt and more,

Quality lock nut for attaching resin fibre discs to Flexipads backing pads.

Thread M14 x 2.

Typically used with corded grinders.



M14 Quick-Nut

Spectre Standard Duty M14 Quick-Nut

SP-17136

Quality lock nut for attaching resin fibre discs to Flexipads backing pads.

With machined grip to outer edge Thread M14 x 2.

Typically used with cordless grinders.



UK Radiator Key

Spectre UK Radiator Key

SP-17014

Used for venting excess air from radiators. Solid brass radiator key.

Ideal for storing in a toolbox or kitchen drawer.



Pillar Drill Machine Chuck with Key

Spectre 1-13mm All Steel Machine Chuck (JT6) with Key

SP-17135

Designed for use on pillar drills. Chuck capacity: 13mm. Fitment: Tapered Jacobs mount Supplied with chuck key



Machine Chuck with Key

Spectre 1-13mm All Steel Machine Chuck (1/2x20) with Key

For use with corded and cordless drills. 1/2in x 20 UNF thread. Capacity 13mm. Complete with chuck key



Chuck Adaptor

Spectre 1/2in x 20 SDS-Plus **Chuck Adaptor**

Enables a 1/2" x 20 threads female threaded chuck to be fitted to an SDS drill.

Fully compatible with all the major power tool brands. including Makita, Dewalt and Bosch

Not to be used on hammer action.



TCT Circular Saw Blade

Spectre 136mm 20-tooth TCT Circular Saw Blade

Circular saw blade, designed for use with handheld portable cordless circular saws. The blade features a thinner kerf and body, which reduces friction allowing for a lighter feed pressure and protecting the motor of your saw. The positive hook angle and tooth configuration enable fast, clean cuts in soft and hardwoods.

Bore Size: 20mm (Reducers for 10mm and 16mm

TCT Circular Saw Blade

Spectre 184mm 40-tooth TCT

Circular saw blade, designed for use with handheld portable cordless circular saws. The blade features a

saw. The positive hook angle and tooth configuration

enable fast, clean cuts in soft and hardwoods.

Bore Size: 20mm (Reducers for 10mm and 16mm

thinner kerf and body, which reduces friction allowing for a lighter feed pressure and protecting the motor of your

Circular Saw Blade

SP-17207



TCT Circular Saw Blade Aggressive Cutting

Spectre 165mm 24-tooth TCT Circular Saw Blade

The Spectre SP-17205 is a 165mm 24 tooth circular saw blade, designed for use with handheld portable cordless circular saws. The blade features a thinner kerf and body, which reduces friction allowing for a lighter feed pressure and protecting the motor of your saw. The positive hook angle and tooth configuration enable fast, aggressive cuts in soft and hardwoods.

Bore Size: 20mm (Reducers for 10mm and 16mm

Universal Cutting Disc

Spectre Industrial Quality

Universal Cutting Disc

For steel including stainless. Manufactured to comply with EN12413

(Single)

Fast cutting.

No of Pieces: 1

For 22.23mm spindle

Long life.



TCT Circular Saw Blade

Spectre 165mm 40-tooth TCT Circular Saw Blade

Circular saw blade, designed for use with handheld portable cordless circular saws. The blade features a thinner kerf and body, which reduces friction allowing for a lighter feed pressure and protecting the motor of your saw. The positive hook angle and tooth configuration enable fast, clean cuts in soft and hardwoods.

Bore Size: 20mm (Reducers for 10mm and 16mm



Universal Cutting Disc

Spectre 115 x 1mm Industrial **Quality Universal Cutting Disc**

SP-17203

Size: 115 x 1mm

For steel including stainless.

Manufactured to comply with EN12413.

For 22.23mm spindle

Long life. No of Pieces: 10



SP-17202 115 x 1mm

SP-17270 125 x 1mm

(Pack of 10)

(10pcs/Tin)

Fast cutting



Cutting Disc

Spectre Depressed Centre Cutting Disc

Depressed centre gives you more clearance to cut at tighter angles or flush with the surface of your workpiece. Strong fibreglass mesh reinforces the disc, ing it safer to work with. Manufactured in accordance with Centre Cutting Disc EN 12413 safety standard. Max speed is 80 m/s and max speed rpm is 13300 rpm.

Code	Size
SP-17272	115 x 2.5mm
SP-17273	115 x 3.2mm
SP-17274	125 x 2.5mm
SP-17275	125 x 3.2mm
SP-17276	230 x 3.2mm

Grinding Disc Grinding Disc

Suitable for grinding rough metal edges with rapid succession. Conforms to EN 12413:2019. Max speed m/s is 80 m/s and a max speed rpm

Code	Size
SP-17277	115 x 6mm
SP-17278	125 x 6mm
SP-17279	230 x 6mm



Flap Disc

Zirconia Aluminia Flap Disc (VSM)

A flap disc is an abrasive product used to contour and shape metal. These are made from Zirconia Alumina which allows for high performance edge grinding. Zirconia alumina is self-sharpening and holds up exceptionally well under high temperatures and pressures, leading to a more efficient product and a longer life span. Comes in a variety of grits from 40 to 120. Conforms to EN 13743. Max speed of 80 m/s and a max rpm of 13300rpm

Code	Size	Code	Size
SP-17280	115mm Grit:40	SP-17285	125mm Grit:40
SP-17281	115mm Grit:60	SP-17286	125mm Grit:60
SP-17282	115mm Grit:80	SP-17287	125mm Grit:80
SP-17283	115mm Grit:100	SP-17288	125mm Grit:10
SP-17284	115mm Grit:120	SP-17289	125mm Grit:12



Multitool Blade Kit

Spectre 4pc Multitool Blade Kit

Supplied With

1 x 68mm Wood Plunge Cut Blade.

1 x 34mm Bi-metal Plunge Blade.

1 x 34mm Wood Plunge Cut Blade.

1 x 34mm Precision Wood Blade

Wood Plunge Cut Blade

Spectre General Duty 34mm Wood Plunge Cut Blade (50pcs/box)

Plunge cutting saw blade with rounded cutting edge to match the cutting motion of the machine and ens precise cuts.

Material: HCS SK5.



Wood Plunge Cut Blade

Spectre General Duty 65mm Wood Plunge Cut Blade (50pcs/box)

SP-17209

Plunge cutting saw blade with rounded cutting edge to match the cutting motion of the machine and ensu precise cuts.

Finish: Black painted + laser mark

Bi-Metal Plunge Cut Blade

Spectre Heavy Duty 34mm M42 Bi-Metal Plunge Cut Blade (50pcs/box)

SP-17210

Fits most makes of multi-tools. Suitable for cutting metal, wood and PVC.



Bi-Metal Plunge Cut Blade

Spectre Heavy Duty 65mm M42 Bi-Metal Plunge Cut Blade (50pc/box)

SP-17211

Fits most makes of multi-tools Suitable for cutting metal, wood and PVC.



Japanese-tooth Precision **Plunge Blade**

Spectre General Duty 34mm Japanese-tooth Precision Plunge Blade (50pc/box)

Material: HCS SK5.

Finish: Black painted+laser mark



Japanese-tooth Precision **Plunge Blade**

Spectre General Duty 68mm Japanese-tooth Precision Plunge Blade (50pc/box)

SP-17213

Material: HCS SK5. Finish: Black painted+laser mark



Bi-Metal Plunge Cut Blade

Spectre Heavy Duty 88mm M42 Bi-Metal Plunge Cut Blade (50pc/box)

SP-17214

Fits most makes of multi-tools. Suitable for cutting metal, wood and PVC. Finish: Black painted+laser mark



Wood Plunge Cut Blade

Spectre General Duty 88mm **Wood Plunge Cut Blade** (50pc/box)

SP-17215

Plunge cutting saw blade with rounded cutting edge to match the cutting motion of the machine and ensure precise cuts.

Material: HCS SK5.

Finish: Black painted + laser mark



BIT SETS BIT SETS

BITS, SETS

Multitool Accessory Kit

Spectre 27pc Multitool **Accessory Kit**

SP-17216

Supplied With:

1pc 20mm Fine Teeth Wood Blade;

1pc 34mm Fine Teeth Wood Blade:

1pc 34mm Bi Metal Blade;

1pc 88mm Segment Saw Blade;

1pc 65mm Carbide-tipped

Segment Saw Blade; Inc S S Scraper 52x72mm

1pc Sanding Pad Flat 80mm;

20pcs Sanding Discs:(G40,G80,G100,G120)x5.





Hammer and Chisel Bit Set

Spectre 17pc SDS+ Hammer and **Chisel Bit Set**

SP-17229

The set is supplied in a tool roll

12xHammer Drill Rits

5x110mm; 5.5x110mm; 6x110mm;

8x110mm: 10x110mm: 6x160mm:

7x160mm; 8x160mm; 10x160mm;

8x210mm; 10x210mm; 14x260mm 2xPoint Chisel

14x140mm; 14x250mm

3xFlat Chisel 14x140x20mm;

14x250x20mm

14x250x40mm



Worktop Router Bit

Spectre Worktop Router Bit

TCT Premium Router cutter designed to give a fast and precise cut with the added advantage of tungsten end tip, making it suitable for plunging.

Extra long life, twin straight fluted cutters, suitable for cutting high quality laminates giving a quality finish for the top tradesman.



Plumbers Holesaw Set

Spectre 9pc Plumbers **Holesaw Set**

SP-17062

Supplied with:

6pcs hole saws: 19, 22, 29, 38, 44,

9.5mm hex shank arbor with HSS polit drill; fits hole saw 12-30mm 11mm hex shank arbor with HSS

polit drill; fits hole saw 32-152mm Mandrel adapter M42 material



Drill Bits Set

Spectre 5-Piece HSS Brad-Point Wood bit Set (4,5,6,8,10mm)

SP-17258

Spectre Performance 5 Piece HSS PRO Brad Point Wood Drill Bit Set 4 5 6 8 10mm - Includes hard case.

Straight Shank.

Flute Design - special flute shape prevents jamming and ensures speedy chip extraction. W-point provides accurate positioning for starting the

Spur cutting edge reduces splintering and ensures a

HSS Construction - offering the best combination of strength, heat and



Drill Bits Set

SP-17234 1/2 x 1/2 x 63

Spectre 5-Piece Masonry Drill Set (4,5,6,8,10mm)

SP-17257

Performance Black 5 Piece Masonry Drill Bit Set 4 5 6 8 10mm.

The hexagon shank prevents chunk slippage.

1/4" quick change shank suitable for quick change adaptors.

These Tungsten Carbide Masonry drill bits are suitable for drilling in concrete and masonry, brick. block, tile, marble etc



Electricians Holesaw Set

14

Spectre 9pc Electricians Holesaw Set

The Spectre 9pc Electricians Holesaw Set is ideal for professional use due to the robust nature of this set. Constructed from High quality M42 Bi-metal this set is ideal for many applications such as cutting steel, cast iron, aluminium, plastic and wood. This set is supplied in a handy plastic carry case to keep the holesaws organised, easy to locate and to prevent loss or damage to them.



Drill Bits Set

Spectre 5-Piece HSS Metal Drill Bit Set (4,5,6,8,10mm)

Spectre Performance 5 Piece HSS Metal Drill Bit Set Bright Finish 456810mm - Includes hard case.

Parallel Straight Shank - precise engineering for accurate hole sizes.

Fast Drilling in Metal.

HSS Construction - offering the best combination of strength, heat and wear resistance.



Drill Bits Set

Spectre 6-Piece Flat Wood Bit Set (10,13,16,19,22,25mm)

This Spectre 6 Piece Flat Bit Set is ideal for most types of wood and has a flat-bit grooved head for improved centering and discharge.Precision Ground Cutting Edge Hex Shank drill bits for faster penetration and cleaner hole boring. Perfect for Woodworking tasks. The hexagon shank prevents chunk slippage.

1/4" quick change shank suitable for impact drivers and quick change adaptors.

6 x Flat Wood Drill Bits 10 12 16 18 20 25mm In hard carry



HAND FILES

Caulking Gun

Caulking gun 11"

SP-17317



Grease Gun Spectre 500cc Grease Gun with 2 Nozzles for Bulk or Cartridge Loading SP-17008

Dust Pan

Spectre 9"

Dust Pan

emptied.

Pressed steel head with

Ideal for collecting dust

and helps retain dirt and debris until ready to be

June

16

Side lever grease gun develops up to 10,000 psi - 690 bar of pressure.

Features an aluminium diecast head with an easy locking plunger system.

Ergonomic pump handle grip.

Positive grip plunger handle.

Coal Shovel

Ideal for shovelling coal or

for use as a dustpan.Raised

shoulders prevent spillage

Powder coated pressed steel

All prices include VAT

Spectre 6"

SP-17150

Coal Shovel

Bulk loader system with an air release valve, combine to make it very efficient and easy to use.

Variable lever stroke feature is built-in for use in confined areas.

4 jaw hydraulic coupler ensures that the grease goes exactly where it is needed.

500g (16oz) capacity, the gun can be bulk filled by its suction action.

Will also accept 400g grease cartridges.

Supplied with a rigid nozzle and a flexible extension hose.

Hex-Shaped Wrecking Bar Spectre Hex-Shaped

Wrecking Bar

Hexagonal shape - Premier contractors wrecking bar manufactured from one-piece, forged EN9 solid steel for strength.

Powder coated for corrosion resistance. Wide surface for ease when using.

Material: EN9 Forged solid steel.

Shape Design: Hexagonal

	Code	Length	Width	
	SP-17098	18"	16mm	
	SP-17099	24"	16mm	
/	SP-17100	36"	18mm	
,				

Hooded Dust Pan

Spectre Hooded Dust Pan

SP-17152

METAL DUSTPAN, ideal for general cleaning and particularly useful for cleaning ash and cooled embers from open fireplaces.

It is enclosed to prevent spillage, 280mm in width and painted black. $\;$

LII EC

6 Piece Set

Part No.	Length mm	Cut	Shank Diameter	Box Quantity
66480079	160	0	3.0	1
66480080	160	2	3.0	1

Set comprises of 1 of each:-Hand, Flat, Round, Half-Round, Square and Three-Square.



12 Piece Set

Part No.	Length mm	Cut	Shank Diameter	Box Quantity
56480081	160	0	3.0	1
66480082	160	2	3.0	1

Set comprises of 1 of each:-Hand, Flat, Round, Half-Round, Square and Three-Square.



and Cut

Part No.	Length mm	Cut	Shank Diameter	Box Quantity
66480001	160	00	3.0	10
66480002	160	0	3.0	10
66480003	160	1	3.0	10
66480004	160	2	3.0	10
66480005	160	4	3.0	10
66480006	160	6	3.0	10

Flat Cut

Part No.	Length mm	Cut	Shank Diameter	Box Quantity
66480007	160	00	3.0	10
66480008	160	0	3.0	10
66480009	160	1	3.0	10
66480010	160	2	3.0	10
66480011	160	4	3.0	10
66480012	160	6	3.0	10

Round Cut

Part No.	Length mm	Cut	Shank Diameter	Box Quantity
66480013	160	00	3.0	10
66480014	160	0	3.0	10
66480015	160	1	3.0	10
66480016	160	2	3.0	10
66480017	160	4	3.0	10
66480018	160	6	3.0	10

Half Round Cut

Part No.	Length mm	Cut	Shank Diameter	Box Quantity
66480019	160	00	3.0	10
66480020	160	0	3.0	10
66480021	160	1	3.0	10
66480022	160	2	3.0	10
66480023	160	4	3.0	10

Square Cut

art No.	Length mm	Cut	Shank Diameter	Box Quantity
6480026	160	0	3.0	10
6480027	160	1	3.0	10
6480028	160	2	3.0	10
6480029	160	4	3.0	10
6480030	160	6	3.0	10

Three Square Cut

art No.	Length mm	Cut	Shank Diameter	Box Quantity
6480031	160	00	3.0	10
6480032	160	0	3.0	10
6480033	160	1	3.0	10
6480034	160	2	3.0	10
6480035	160	4	3.0	10
6480036	160	6	3.0	10

Knife Cut

Part No.	Length mm	Cut	Shank Diameter	Box Quantity	
66480040	160	2	3.0	10	

Engineers' Hand File

Part No.	Length	Cut	Cross Section mm	Box Quantity
65300101	100	1	10.4 x 2.5	10
65300102	100	2	10.4 x 2.5	10
65300103	100	3	10.4 x 2.5	10
65300151	150	1	16 x 4	10
65300152	150	2	16 x 4	10
65300153	150	3	16 x 4	10
65300201	200	1	20 x 5	10
65300202	200	2	20 x 5	10
65300203	200	3	20 x 5	10
65300251	250	1	25 x 6.3	10
65300252	250	2	25 x 6.3	10
65300253	250	3	25 x 6.3	10
65300301	300	1	30 x 6.7	5
65300302	300	2	30 x 6.7	5
65300303	300	3	30 x 6.7	5
65300351	350	1	34.5 x 7.6	5
65300352	350	2	34.5 x 7.6	5
65300353	350	3	34.5 x 7.6	5

Engineers' 3 Square Files

Part No.	Length	Cut	Cross Section mm	Box Quantity
65420101	100	1	6.4	10
65420102	100	2	6.4	10
65420103	100	3	6.4	10
65420151	150	1	10	10
65420152	150	2	10	10
65420153	150	3	10	10
65420201	200	1	14	10
65420202	200	2	14	10
65420203	200	3	14	10
65420251	250	1	17	10
65420252	250	2	17	10
65420253	250	3	17	10
65420301	300	1	20	5
65420302	300	2	20	5
65420303	300	3	20	5

Engineers' Square Files

Part No.	Length	Cut	Cross Section mm	Box Quantity
65480151	150	1	6.3	10
65480152	150	2	6.3	10
65480153	150	3	6.3	10
65480201	200	1	8	10
65480202	200	2	8	10
65480203	200	3	8	10
65480251	250	1	10	10
65480252	250	2	10	10
65480253	250	3	10	10
65480301	300	1	12.5	5
65480302	300	2	12.5	5
65480303	300	3	12.5	5

Engineers' Half Round Files

				The second second
Part No.	Length	Cut	Cross Section mm	Box Quantity
65540151	150	1	15.8 x 4.5	10
65540152	150	2	15.8 x 4.5	10
65540153	150	3	15.8 x 4.5	10
65540201	200	1	20.7 x 5.9	10
65540202	200	2	20.7 x 5.9	10
65540203	200	3	20.7 x 5.9	10
65540251	250	1	25.5 x 7.3	10
65540252	250	2	25.5 x 7.3	10
65540253	250	3	25.5 x 7.3	10
65540301	300	1	30.4 x 8.7	5
65540302	300	2	30.4 x 8.7	5
65540303	300	3	30.4 x 8.7	5
65540352	300	2	30.4 x 8.7	5

Engineers' Round Files

Part No.	Length	Cut	Cross Section mm	Box Quantity
65600101	100	1	4	10
65600102	100	2	4	10
65600103	100	3	4	10
65600151	150	1	6.3	10
65600152	150	2	6.3	10
65600153	150	3	6.3	10
65600201	200	1	8	10
65600202	200	2	8	10
65600203	200	3	8	10
65600251	250	1	10	10
65600252	250	2	10	10
65600253	250	3	10	10
65600301	300	1	12	5
65600302	300	2	12	5
65600303	300	3	12	5
65600352	350	2	14	5

Thread Restoring Files



HOLDER

14" Milled File Blade Holder



Hand file, Dreadnought



Hand blade Millenicut Image as guide only

•	and the same of			
Part No.	Length mm	Cut	Cross Section mm	Box Quantity
66090023	350	9TPI	36 x 5	1

MILLED DIAMOND TOOTH FILES FILES

Hand File, Tanged Dreadnought

ľ					MATERIAL PROPERTY.	
	Part No.	Length mm	Cut	Cross Section mm	Box Quantity	
	66090001	200	9TPI	21 x 5.8	10	
	66090002	250	9TPI	26 x 7	10	
	66090003	300	9TPI	31 x 8.3	5	
	66090004	350	9TPI	36 x 8.8	5	

Half Round, Tanged Dreadnought

AND DESCRIPTION OF THE PERSON NAMED IN				
Part No.	Length mm	Cut	Cross Section mm	Box Quantity
66090005	250	9TPI	23 x 7	10
66090006	300	9TPI	27 x 9	5

Hand File, Tanged Millenicut

Part No.	Length	Cut	Cross Section mm	Box Quantity
66090009	200	9TPI	21 x 5.8	10
66090010	200	13TPI	21 x 5.8	10
66090011	250	9TPI	26 x 7	10
66090012	250	13TPI	26 x 7	10
66090014	300	9TPI	31 x 8.3	5
66090015	300	13TPI	31 x 8.3	5
66090017	350	9TPI	36 x 8.8	5

Half Round, Tanged Millenicut

Part No.	Length mm	Cut	Cross Section mm	Box Quantity
66090020	250	9TPI	23 x 7	10
66090021	300	9TPI	27 x 9	5

Hand



Flat

Part No.	Length mm	Cut	Shank Diameter	Box Quantity	
66660005	160	Med	3.0	1	

Round

Part No.	Length mm	Cut	Shank Diameter	Box Quantity
66660007	160	Coarse	3.0	1
66660008	160	Med	3.0	1
66660009	160	Fine	3.0	1

Half Round

66660011	160	Med	3.0	1
Part No.	Length mm	Cut	Shank Diameter	Box Quantity

Square

Part No.	Length mm	Cut	Shank Diameter	Box Quantity
66660014	160	Med	3.0	1

Square

Part No.	Length mm	Cut	Shank Diameter	Box Quantity
66660016	160	Coarse	3.0	1
66660017	160	Med	3.0	1

6 Piece Set

Part No.	Length mm	Cut	Shank Diameter	Box Quantii
66660020	160	Med	3.0	1
66660021	160	Fine	3.0	1



Set comprises of 1 of each:-Hand, Flat, Round, Half-Round,



JOBBER DRILLS / TROJAN

Jobber Drills DIN 388 RN

Flute Geometry:

Standard Helix, Right-Hand Spiral Point

Angle:

118 Surface

Treatment:

Bright - 0.5mm and below. Blue - 0.6mm and above.

Application:

General purpose engineering drills



Part No.	Diameter mm	Flute Length mm	Overall length mm
00.30JOB	0.30	3	19
00.40ЈОВ	0.40	5	20
00.45JOB	0.45	5	20
00.50JOB	0.50	6	22
00.52JOB	0.52	6	22
00.55JOB	0.55	7	24
00.60ЈОВ	0.60	7	24
00.65JOB	0.65	8	26
00.70JOB	0.70	9	28
00.72JOB	0.72	9	28
00.75JOB	0.75	9	28
00.80ЈОВ	0.80	10	30
00.85JOB	0.85	10	30
00.90ЈОВ	0.90	11	32
00.92JOB	0.92	11	32
00.95JOB	0.95	11	32
01.00JOB	1.00	12	34
01.10JOB	1.10	14	36
01.15JOB	1.15	14	36
01.20JOB	1.20	16	38
01.30JOB	1.30	16	38
01.40JOB	1.40	18	40
01.45JOB	1.45	18	40
01.50JOB	1.50	18	40
01.55JOB	1.55	20	43
01.60JOB	1.60	20	43
01.65JOB	1.65	20	43
01.70JOB	1.70	20	43
01.75JOB	1.75	22	46
01.80JOB	1.80	22	46
01.85JOB	1.85	22	46
01.90JOB	1.90	22	46
01.95JOB	1.95	24	49
02.00JOB	2.00	24	49
02.05JOB	2.05	24	49
02.10JOB	2.10	24	49
02.15JOB	2.15	27	53
02.20JOB	2.20	27	53
02.25JOB	2.25	27	53
02.30JOB	2.30	27	53
02.35JOB	2.35	27	53
02.40JOB	2.40	30	57
02.45JOB	2.45	30	57
02.50JOB	2.50	30	57
02.55JOB	2.55	30	57
02.60JOB	2.60	30	57
02.65JOB	2.65	30	57

Part No.	Diameter mm	Flute Length mm	Overall length mm
02.70JOB	2.70	33	61
02.75JOB	2.75	33	61
02.80JOB	2.80	33	61
02.85JOB	2.85	33	61
02.90JOB	2.90	33	61
02.95JOB	2.95	33	61
03.00JOB	3.00	33	61
03.10JOB	3.10	36	65
03.20JOB	3.20	36	65
03.30JOB	3.30	36	65
03.40JOB	3.40	39	70
03.50JOB	3.50	39	70
03.60JOB	3.60	39	70
03.70JOB	3.70	39	70
03.75JOB	3.75	39	70
03.80JOB	3.80	43	75
03.90JOB	3.90	43	75
04.00JOB	4.00	43	75
04.10JOB	4.10	43	75
04.20JOB	4.20	43	75
04.30JOB	4.30	47	80
04.40JOB	4.40	47	80
04.50JOB	4.50	47	80
04.60JOB	4.60	47	80
04.70JOB	4.70	47	80
04.80JOB	4.80	52	86
04.85JOB	4.85	52	86
04.90JOB	4.90	52	86
05.00JOB	5.00	52	86
05.10JOB	5.10	52	86
05.20JOB	5.20	52	86
05.25JOB	5.25	52	86
05.30JOB	5.30	52	86
05.40JOB	5.40	57	93
05.50JOB	5.50	57	93
05.60JOB	5.60	57	93
05.70JOB	5.70	57	93
05.80JOB	5.80	57	93
05.90JOB	5.90	57	93
06.00JOB	6.00	57	93
06.10JOB	6.10	63	101
06.20JOB	6.20	63	101
06.25JOB	6.25	63	101
06.30JOB	6.30	63	101
06.40JOB	6.40	63	101
06.50JOB	6.50	63	101
06.60JOB	6.60	63	101

Part No.	Diameter mm	Flute Length	Overall length
06.70JOB	6.70	mm 63	mm 101
06.80JOB	6.80	69	109
06.90JOB	6.90	69	109
07.00JOB	7.00	69	109
07.10JOB	7.10	69	109
07.20JOB	7.20	69	109
07.25JOB	7.25	69	109
07.30JOB	7.30	69	109
07.40JOB	7.40	69	109
07.50JOB	7.50	69	109
07.60JOB	7.60	75	117
07.80JOB	7.80	75	117
08.00JOB	8.00	75	117
08.10JOB	8.10	75	117
08.20JOB	8.20	75	117
08.30JOB	8.30	75	117
08.40JOB	8.40	75	117
08.50JOB	8.50	75	117
08.60JOB	8.60	81	125
08.70JOB	8.70	81	125
08.80ЈОВ	8.80	81	125
08.90JOB	8.90	81	125
09.00ЈОВ	9.00	81	125
09.10JOB	9.10	81	125
09.20JOB	9.20	81	125
09.25JOB	9.25	81	125
09.30JOB	9.30	81	125
09.40JOB	9.40	81	125
09.50JOB	9.50	81	125
09.60JOB	9.60	87	133
09.70JOB	9.70	87	133
09.80JOB	9.80	87	133
09.90JOB	9.90	87	133
10.00JOB	10.00	87	133
10.10JOB	10.10	87	133
10.20JOB	10.20	87	133
10.25JOB	10.25	87	133
10.30JOB	10.30	87	133
10.40JOB	10.40	87	133
10.50JOB	10.50	87	133
10.60JOB	10.60	87	133
10.70JOB	10.70	94	142
10.80JOB	10.80	94	142
10.90JOB	10.90	94	142
11.00JOB	11.00	94	142
11.10ЈОВ	11.10	94	142
11.20JOB	11.20	94	142

Part No.	Diameter mm	Flute Length mm	Overall length mm
11.25JOB	11.25	94	142
11.30JOB	11.30	94	142
11.40JOB	11.40	94	142
11.50JOB	11.50	94	142
11.60JOB	11.60	94	142
11.70JOB	11.70	94	142
11.75JOB	11.75	94	142
11.80ЈОВ	11.80	94	142
11.90JOB	11.90	101	151
12.00JOB	12.00	101	151
12.10JOB	12.10	101	151
12.20JOB	12.20	101	151
12.40JOB	12.40	101	151
12.50JOB	12.50	101	151
12.60JOB	12.60	101	151
12.80JOB	12.80	101	151
12.90JOB	12.90	101	151
13.00JOB	13.00	101	151
13.20JOB	13.20	101	151
13.50JOB	13.50	108	160
13.70JOB	13.70	108	160
13.80JOB	13.80	108	160
14.00JOB	14.00	108	160
14.50JOB	14.50	114	169
15.00JOB	15.00	114	169
15.50JOB	15.50	120	178
16.00JOB	16.00	120	178
16.50JOB	16.50	125	184
17.00JOB	17.00	125	184
17.50JOB	17.50	130	191
18.00JOB	18.00	130	191
19.00ЈОВ	19.00	135	198
20.00JOB	20.00	140	205

trojan
MILLING MAINTENANCE
TDB Cutting Oil, Paste and Liquid

	I .
Part No.	Size
T/TDB400	400ml Aerosol
T/TDB500G	500g Paste
T/TDB500	500ml Liquid
T/TDB5	51 itre Liquid







tr@jan